Amendments to the Claims

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (currently amended) An image-receiving element comprising a mixture of large and small particles wherein said large and said small particles are shelled with a material providing image fade resistance selected from the group consisting of hydrolyzable organosilanes, aluminasilicate polymers and metal oxyhydroxy complexes, and wherein said large particles and said small particles have a ratio of from 65:35 to 35:65, wherein said image-receiving element has a porosity of greater than about 40%, wherein said image-receiving element has a 60° gloss of greater than 15.
 - 2. (canceled).
- 3. (original) The image-receiving element of claim 1 wherein said small particles have a median particle size of between 80 and 140 nm.
- 4. (original) The image-receiving element of claim 1 wherein said small particles have a median particle size of between 20 and 180 nm.
- 5. (original) The image-receiving element of claim 1 wherein said large particles have a median particle size of between 200 and 500 nm.
- 6. (original) The image-receiving element of claim 1 wherein said large particles have a median particle size of between 200 and 300 nm.
 - 7-9. (canceled).

10. (original) The image-receiving element of claim 1 wherein said element has a porosity from about 50 to 70%.

11. (canceled).

- 12. (original) The image-receiving element of claim 1 wherein said element has a 60° gloss of greater than 25.
- 13. (original) The image-receiving element of claim 1 wherein said small particles have a particle size distribution with a standard deviation of less than 50 nm.
- 14. (original) The image-receiving element of claim 1 wherein said small particles have a particle size distribution with a standard deviation of between 1 and 25 nm.
- 15. (original) The image-receiving element of claim 1 wherein said large particles have a particle size distribution with a standard deviation of less than 150 nm
- 16. (original) The image-receiving element of claim 1 wherein said large particles have a particle size distribution with a standard deviation of between 10 and 100 nm.
- 17. (original) The image-receiving element of claim 1 wherein said large particles comprise fumed silica.
- 18. (original) The image-receiving element of claim 1 wherein said large particles have an irregular shape.
- 19. (original) The image-receiving element of claim 1 wherein said small particles comprise colloidal silica.
- 20. (original) The image-receiving element of claim 1 wherein said small particles are generally spherical.

21. (original) The image-receiving element of claim 1 wherein said small particles are generally symmetrical.

22-24. (canceled).

25. (currently amended) The image-receiving material of claim $\underline{1}$ [[24]] wherein said metal oxyhydroxy complexes comprise

$$M^{n+}(O)_a(OH)_b(A^{p-})_c \bullet xH_2O$$
,

wherein

M is at least one metal ion;

n is 3 or 4;

A is an organic or inorganic ion;

p is 1, 2 or 3; and

x is equal to or greater than 0;

with the proviso that when n is 3, then a, b and c each comprise a rational number as follows: 0 < a < 1.5; 0 < b < 3; and $0 \le pc < 3$, so that the charge of the M^{3+} metal ion is balanced;

and when n is 4, then a, b and c each comprise a rational number as follows: 0 < a < 2; 0 < b < 4; and $0 \le pc < 4$, so that the charge of the M^{4+} metal ion is balanced.